## In the Claims

The status of claims in the case is as follows:

- [Currently amended] A method for browsing in collaboration space, comprising the steps of: 3 presenting to a user at a browser an interface to said 4 collaboration space; 5 responsive to said user opening in said interface a 6 main window selectively including context resulting from entry of a search of a selectable object in said collaboration space or in a what's new subset of said 8 9 collaboration space, presenting a quick browse selector and results of said search in said main window; 10 responsive to user selection of said quick browse 11 12 selector, 13 opening a separate quick browse window;
  - LOT920000029US1

14

2 of 25

searching said selectable object to generate a set

15	o£	hits.

- creating a set of links to said set of hits to
  control said main window without losing context,
- displaying said context in a separate said quick
  browse window within said main window in a simpler
  format, with an entry in said separate quick
  browse window for each item in said set of hits;
- 22 and
- responsive to user selection of an item in said quick
  browse window, executing paging controls for
  redirecting said main window to a linked page for
  displaying in said main window an object a page in
  collaboration space linked to said item.
- 28 2. [Original] The method of claim 1, further comprising
  29 the step of organizing said collaboration space according to
  30 an object model selectively including place, room, folder,
  31 page, member, form, field, placetype, roomtype, skin, and
  32 placebot objects.

3 of 25

- 3. [Original] The method of claim 1, said simpler format
- 2 being a hypertext markup language format.
- 1 4. [Original] The method of claim 3, further comprising
- 2 the step of implementing said object as a room in said
- 3 collaboration space.
- 1 5. [Original] The method of claim 3, further comprising
- 2 the step of implementing said quick browse selector as a
- 3 remote control selector in a search results window.
- 6. [Original] The method of claim 5, further comprising
- 2 the step responsive to user selection of a link to a target
- 3 page in said quick browse window, of reloading said main
- 4 window with said target page.
- 7. [Original] The method of claim 3, further comprising
- 2 the step of implementing said quick browse selector as a
- 3 remote control selector in a what's new window.

4 of 25

- [Original] The method of claim 7, further comprising 1 8.
- the step responsive to user selection of said quick browse 2
- selector of enabling random access browsing of links in said
- 4 quick browse window.
- [original] The method of claim 8, said links being to 1 9.
- 2 objects in a plurality of rooms.
- 1 [Original] The method of claim 3, further comprising
- the step of implementing said quick browse selector as go 2
- there links from a tutorial window, as go there links from a 3
- 4 help window, and as go there links from a site map.
- [Original] The method of claim 10, further comprising 1 11.
- the step of generating said site map as a simple rendering 2
- of an access controlled table of context hierarchy. 3
- 12. [Original] The method of claim 1, further comprising 1
- 2 the steps of:

5 of 25

3	displaying said quick browse window in minimal screen
4	space while said user browses target pages and allowing
5	said user to see and access local settings of said
6	target page so as to display context of said target
7	nage

- [Original] The method of claim 12, said context 1
- selectively including a table of contents, location, folder,
- parent, responses, ancestors, and/or revisions of said 3
- 4 target page.
- 14. [Currently amended] A system for browsing within 1
- collaboration space, comprising: 2
- a browser for displaying a user interface in a main 3
- 4 window;
- a separate, floating quick browse window; 5
- a remote control mechanism responsive to user selection 6
- and displayed in any context in said user interface
- supporting a quick browse feature for opening and 8

6 of 25 S/N 09/752,962

- 9 displaying in said quick browse window responsive to a
- user initiated search of an object in said 10
- collaboration space or of  $\underline{a}$  what's new subset of said 11
- object links to linked pages resulting from hits from 12
- 13 said search;
- said quick browse feature redirecting said main window 14
- to a linked page in collaboration space upon user 15 .
- selection of a link from said quick browse window. 16
- 1 [Original] The system of claim 14, said collaboration
- space being organized according to an object model 2
- selectively including place, room, folder, page, member, 3
- form, field, placetype, roomtype, skin, and placebot 4
- 5 objects.
- [Original] The system of claim 14, said context 1 16.
- 2 including search results and what's new contexts.
- [Original] The system of claim 16, said context 1 17.
- 2 including help and tutorial windows.

7 of 25

- 1 18. [Original] The system of claim 14, further comprising:
- 2 said quick browse window being opened responsive to
- 3 user selection of said remote control mechanism;
- 4 said link being opened in said main window responsive
- 5 to said user selection of said link;
- 6 said quick browse window further providing a remote
- 7 control on said main window with said links displayed
- in said quick browse window while said user browses
- 9 selected links in said main window.
- 1 19. [Currently amended] A program storage device readable
- 2 by a machine, tangibly embodying a program of instructions
- 3 executable by a machine to perform method steps for browsing
- 4 in collaboration space, said method steps comprising:
- 5 presenting to a user at a browser an interface to said
- 6 collaboration space;

8 of 25

,	responsive to user entry of a search of a selectable
8	object in said collaboration space or in a what's new
9	subset of said collaboration space, presenting search
10	results in a main window;
11	providing in said main window in said interface a quick
12	browse selector;
13	responsive to user selection of said quick browse
14	selector,
15	opening a separate quick browse window,
16	searching said collaboration space to generate a
17	set of hits,
10	
18	creating a set of links to said set of hits to
19	control said main window without losing context,
20	
21	displaying said context in [[a]] said separate
2 1	quick browse window in a simpler format; and
22	responsive to user selection of an item in said quick
23	browse window, executing paging controls for
	LOT920000029US1 9 of 25 S/N 09/752 962

24	redirecting said main window to a linked page in
25	collaboration space for displaying in said main window
26	an object linked to said item.

- 1 20. [Canceled]
- 21. [Currently amended] A method for presenting to a
- 2 browser user items selected from collaboration space,
- 3 comprising:
- presenting to said user an interface to said

  collaboration space, said interface including a search
- selector and a what's new selector;
- 7 responsive to user selection of said search selector
- and entry of a search argument, searching said
- 9 collaboration space to generate a first set of hits;
- responsive to user selection of said what's new
- 11 selector, searching said collaborations space for new
- objects in said collaboration space to generate a
- 13 second set of hits:

10 of 25

14	selectively presenting said first set of hits or said
15	second set of hits and a quickbrowse selector to said
16	user in a main window of said interface;
17	responsive to said user selecting said quickbrowse
18	selector, opening and selectively presenting to said
19	user in a floating window of said interface said first
20	set of hits or said second set of hits as selector
21	items; and
22	responsive to said user selecting a selector item in
23	said floating window, executing paging controls for
24	redirecting said main window to a linked to page in
25	collaboration space for presenting to said user in said
26	main window an object linked to said selector item
27	while maintaining said selector items in said floating
28	window.

11 of 25